



Mueen International Engineering Solutions
beyond limitation with superior service

**Please get in touch with us if you need any
products or solutions.**

E-mail: mueen.intl@gmail.com

Cell & WhatsApp:

+8801711293105

+8801303411848


POWER **PRODUCT** *Catalog*



SUPER STAR®
Electrical Accessories



Alpha Series



One Gang One Way
Model: A-01
10A, 250V



One Gang Two Way
Model: A-02
10A, 250V



Two Gang One Way
Model: A-03
10A, 250V



Two Gang Two Way
Model: A-04
10A, 250V



Three Gang One Way
Model: A-05
10A, 250V



Four Gang One Way
Model: A-06
10A, 250V



Bell Push
Model: A-12
10A, 250V



DP Switch With Neon
Model: A-16
45A, 250V



Fan Regulator
Model: A-20
500W, 250V



2-Pin Socket With Switch
Model: A-13
10A, 250V



3-Pin Multi-Functional
Socket With Switch
Model: A-07
13A, 250V



3-Pin Round Socket
With Switch
Model: A-15
15A, 250V



3-Pin Multi-Functional
Socket With USB Port
Model: A-23
13A, 250V, USB: 5V, 2.1A



2 & 3-Pin Multi-Functional
Socket With Switch
Model: A-25
13A, 250V



TV Socket
Model: A-18



Telephone Socket
Model: A-19



Internet / Data Socket
Model: A-22



Blank Plate
Model: A-17



Kito
Series



One Gang One Way

Model: K-01

10A, 250V



One Gang Two Way

Model: K-02

10A, 250V



Two Gang One Way

Model: K-03

10A, 250V



Two Gang Two Way

Model: K-04

10A, 250V



Three Gang One Way

Model: K-05

10A, 250V



Four Gang One Way

Model: K-06

10A, 250V



Bell Push

Model: K-12

10A, 250V



DP Switch With Neon

Model: K-16

45A, 250V



Fan Regulator

Model: K-20

500W, 250V



2-Pin Socket With Switch

Model: K-13

10A, 250V



3-Pin Multi-Functional
Socket With Switch

Model: K-07

13A, 250V



3-Pin Round Socket
With Switch

Model: K-15

15A, 250V



2 & 3-Pin Multi-Functional
Socket With USB Port

Model: K-23

13A, 250V, USB: 5V, 2.1A



2 & 3-Pin Multi-Functional
Socket With Switch

Model: K-25


13A, 250V



10-Pin Multi-Functional
Socket With Switch


Model: K-24

13A, 250V



TV Socket

Model: K-18



Telephone Socket

Model: K-19



Internet / Data Socket

Model: K-22



Blank Plate

Model: K-17



Marble Series



One Gang One Way
Model: M-01
16A, 250V



One Gang Two Way
Model: M-02
16A, 250V



Two Gang One Way
Model: M-03
16A, 250V



Two Gang Two Way
Model: M-04
16A, 250V



Three Gang One Way
Model: M-05
16A, 250V



Four Gang One Way
Model: M-06
16A, 250V



Bell Push
Model: M-12
16A, 250V



DP Switch With Neon
Model: M-16
32A, 250V



Fan Regulator
Model: M-20
500W, 250V



2-Pin Socket With Switch
Model: M-13
10A, 250V



3-Pin Multi-Functional
Socket With Switch
Model: M-07
13A, 250V



3-Pin Round Socket
With Switch
Model: M-15
15A, 250V



2 & 3-Pin Multi-Functional
Socket With USB Port
Model: M-23
13A, 250V, USB: 5V, 2.1A



2 & 3-Pin Multi-Functional
Socket With Switch
Model: M-25
13A, 250V



10-Pin Multi-Functional
Socket With Switch
Model: M-24
13A, 250V



TV Socket
Model: M-18




Telephone Socket
Model: M-19



Internet / Data Socket
Model: M-22


Ultimate
Series




One Gang One Way
Model: UL-01
16A, 250V




One Gang Two Way
Model: UL-02
16A, 250V



Two Gang One Way
Model: UL-03
16A, 250V



Two Gang Two Way
Model: UL-04
16A, 250V



Three Gang One Way
Model: UL-05
16A, 250V




Four Gang One Way
Model: UL-06
16A, 250V



Bell Push
Model: UL-12
16A, 250V



DP Switch With Neon
Model: UL-16
32A, 250V



Fan Regulator
Model: UL-20
500W, 250V



2 Pin Socket with Switch
Model: UL-13
10A, 250V



2 Gang Switch (1W)
& 2 PCS 2-Pin Socket
Model: UL-33
10A, 250V



2 Gang Switch (1W)
& 2-Pin Socket
Model: UL-43
10A, 250V



3-Pin Round Socket
With Switch & Neon
Model: UL-15
15A, 250V




3-Pin Multi-Functional
Socket With Switch
Model: UL-07
13A, 250V




2 & 3-Pin Multi-Functional
Socket With USB Port
Model: UL-23
13A, 250V, USB: 5V, 2.1A




2 & 3-Pin Multi-Functional
Socket With Switch
Model: UL-25
13A, 250V



TV Socket
Model: UL-18



Telephone Socket
Model: UL-19



Internet / Data Socket
Model: UL-22




Ultima Gold Series



One Gang One Way
Model: UG-01
16A, 250V




One Gang Two Way
Model: UG-02
16A, 250V



Two Gang One Way
Model: UG-03
16A, 250V



Two Gang Two Way
Model: UG-04
16A, 250V



Three Gang One Way
Model: UG-05
16A, 250V



Four Gang One Way
Model: UG-06
16A, 250V




Bell Push
Model: UG-12
16A, 250V




DP Switch With Neon
Model: UG-16
32A, 250V



Fan Regulator
Model: UG-20
500W, 250V




2 Pin Socket with Switch
Model: UG-13
10A, 250V



2 Gang Switch (1W)
& 2 PCS 2-Pin Socket
Model: UG-33
10A, 250V



2 Gang Switch (1W)
& 2-Pin Socket
Model: UG-43
10A, 250V



3-Pin Round Socket
With Switch & Neon
Model: UG-15
15A, 250V



3-Pin Multi-Functional
Socket With Switch
Model: UG-07
13A, 250V




2 & 3-Pin Multi-Functional
Socket With USB Port
Model: UG-23
13A, 250V, USB: 5V, 2.1A




2 & 3-Pin Multi-Functional
Socket With Switch
Model: UG-25
13A, 250V



TV Socket
Model: UG-18



Telephone Socket
Model: UG-19



Internet / Data Socket
Model: UG-22



Gold Ray
Series



One Gang One Way
Model: GR-01
16A, 250V



One Gang Two Way
Model: GR-02
16A, 250V



Two Gang One Way
Model: GR-03
16A, 250V



Two Gang Two Way
Model: GR-04
16A, 250V



Three Gang One Way
Model: GR-05
16A, 250V



Four Gang One Way
Model: GR-06
16A, 250V



Bell Push
Model: GR-12
16A, 250V



DP Switch With Neon
Model: GR-16
20A, 250V



Fan Regulator with Switch
Model: GR-20
500W, 250V



2 Pin Socket with Switch
Model: GR-13
10A, 250V



3-Pin Multi Functional
Socket with Switch
Model: GR-07
13A, 250V



3-Pin Multi-Functional
Socket With USB Port
Model: GR-26
13A, 250V, USB: 5V, 2.1A



2 & 3 Pin Multi Functional
Socket with Switch
Model: GR-25
13A, 250V



3-Pin Round Socket
Model: GR-15
15A, 250V



TV Socket
Model: GR-18



Telephone Socket
Model: GR-19



Internet / Data Socket
Model: GR-27

Rose
Series



One Gang One Way
Model: R-01
10A, 250V



One Gang Two Way
Model: R-15
10A, 250V



Two Gang One Way
Model: R-02
10A, 250V



Two Gang Two Way
Model: R-16
10A, 250V




Three Gang One Way
Model: R-03
10A, 250V



Four Gang One Way
Model: R-04
10A, 250V



Bell Push
Model: R-09
10A, 250V



DP Switch With Neon
Model: R-13
20A, 250V



Light Dimmer
Model: R-14
500W, 250V



Fan Regulator
Model: R-11
250W, 250V



2 Pin Socket with Switch
Model: R-05
10A, 250V



2 & 3-Pin Multi
Functional Socket
Model: R-08
13A, 250V



3-Pin Round Socket
Model: R-06
15A, 250V



Flat 3-Pin Socket
Model: R-07
13A, 250V



Blank Plate
Model: R-17



TV Socket
Model: R-18



Telephone Socket
Model: R-19



Internet / Data Socket
Model: R-22



Lotus Series



One Gang One Way

Model: L-01

10A, 250V



One Gang Two Way

Model: L-02

10A, 250V



Two Gang One Way

Model: L-03


10A, 250V



Two Gang Two Way

Model: L-04

10A, 250V



Three Gang One Way

Model: L-05

10A, 250V



Four Gang One Way

Model: L-06

10A, 250V



Bell Push

Model: L-12

10A, 250V



DP Switch With Neon

Model: L-16

20A, 250V



Light Dimmer

Model: L-10

500W, 250V



Fan Regulator

Model: L-11

250W, 250V



2 Pin Socket with Switch

Model: L-13

10A, 250V



3-Pin Universal Socket

Model: L-07

13A, 250V



3-Pin Round Socket

Model: L-15

15A, 250V



Flat 3-Pin Socket

Model: L-14

13A, 250V



3 Pin Universal Socket with 2 USB Port

Model: L-23

13A, 250V, USB: 5V, 2.1A



All Rounder Combined Socket

Model: C-30



TV Socket

Model: L-18



Telephone Socket

Model: L-19



Blank Plate

Model: L-17

Safe
Series



One Gang One Way

Model: S-01

10A, 250V



One Gang Two Way

Model: S-02

10A, 250V



Two Gang One Way

Model: S-03

10A, 250V



Two Gang Two Way

Model: S-04

10A, 250V



Three Gang One Way

Model: S-05

10A, 250V



Four Gang One Way

Model: S-06

10A, 250V



Bell Push

Model: S-12

10A, 250V



DP Switch With Neon

Model: S-16

20A, 250V



Fan Regulator

Model: S-20

250W, 250V



2 Pin Socket with Switch

Model: S-13

10A, 250V



3-Pin Round Socket

Model: S-15

15A, 250V



3-Pin Universal Socket

Model: S-07

13A, 250V



8-Pin Combination
Socket with Switch

Model: S-22

13A, 250V



TV Socket

Model: S-18



Telephone Socket

Model: S-19



Snow White Series




One Gang One Way
Model: SW-01
10A, 250V



One Gang Two Way
Model: SW-02
10A, 250V



Two Gang One Way
Model: SW-03
10A, 250V



Two Gang Two Way
Model: SW-04
10A, 250V



Three Gang One Way
Model: SW-05
10A, 250V



Four Gang One Way
Model: SW-06
10A, 250V



Bell Push
Model: SW-12
10A, 250V



DP Switch With Neon
Model: SW-16
45A, 250V



Fan Regulator with Switch
Model: SW-20
250W, 250V



2 Pin Socket with Switch
Model: SW-13
10A, 250V



10-Pin Multi Functional Socket
Model: SW-24
13A, 250V



2 & 3 Pin Multi Functional Socket
Model: SW-25
13A, 250V



3-Pin Round Socket
Model: SW-15
15A, 250V



2 & 3-Pin Multi-Functional Socket With USB Port
Model: SW-23
13A, 250V, USB: 5V, 2.1A



TV Socket
Model: SW-18



Telephone Socket
Model: SW-19



Internet / Data Socket
Model: SW-22

*Premium
Series*



One Way Switch
Model: P-01
6A, 250V AC



Two Way Switch
Model: P-02
6A, 250V AC



Two Pin Socket
Model: P-03
5A, 250V AC



Fuse
Model: P-04
5A, 250V AC



Indicator
Model: P-05
5A, 250V AC



Bell Push
Model: P-06
6A, 250V AC



Fan Regulator
Model: P-07
200W, 250V AC



TV Socket
Model: P-08



Telephone Socket
Model: P-09



5-Pin Round Socket
Model: P-10
6A, 250V AC

S **Kaffe**
series



One Way Switch
Model: K-01
6A, 250V AC



Two Way Switch
Model: K-02
6A, 250V AC



Two Pin Socket
Model: K-03
5A, 250V AC



Fuse
Model: K-04
5A, 250V AC



Indicator
Model: K-05
5A, 250V AC




Bell Push
Model: K-06
6A, 250V AC



Fan Regulator
Model: K-07
200W, 250V AC



TV Socket
Model: K-08




Telephone Socket
Model: K-09



5-Pin Round Socket
Model: K-10
6A, 250V AC

Velvet
Series



One Way Switch
Model: V-01
6A, 250V AC



Two Way Switch
Model: V-02
6A, 250V AC



Two Pin Socket
Model: V-03
5A, 250V AC



Fuse
Model: V-04
5A, 250V AC



Indicator
Model: V-05
5A, 250V AC




Bell Push
Model: V-06
6A, 250V AC



Fan Regulator
Model: V-07
200W, 250V AC



TV Socket
Model: V-08



Telephone Socket
Model: V-09

PC OTHERS



Hexagon Holder (B-22)
Model No.: HH-03
6A, 250V AC



Hexagon Holder (E-27)
Model No.: HH-04
6A, 250V AC



Ultra Hexagon Holder (B-22)
Model No.: HH-05
6A, 250V AC



Ultra Hexagon Holder (E-27)
Model No.: HH-06
6A, 250V AC



Round Batten Holder (B-22)
Model No.: RH-01
6A, 250V AC



Round Batten Holder (B-22)
Model No.: RH-02
6A, 250V AC



Round Batten Holder (E-27)
Model No.: RH-04
6A, 250V AC



2 in 1 Round Batten Holder
Model No.: RH-06
6A, 250V AC



Batten Holder (B-22)
Model No.: BH-01
6A, 250V AC



Batten Holder (E-27)
Model No.: BH-02
6A, 250V AC



Pendant Holder (B-22)
Model No.: PH-01
5A, 250V AC



Pendant Holder (E-27)
Model No.: PH-02
5A, 250V AC



Premium Pendant Holder (B-22)
Model No.: PH-03
6A, 250V AC



Gang Angle Holder (B-22)
Model No.: AH-02
6A, 250V AC



Angle Holder (B-22)
Model No.: AH-01
6A, 250V AC



Ceiling Rose
Model No.: CR-01
6A, 250V AC



Hexagon Ceiling Rose
Model No.: CR-03
6A, 250V AC



Round Three Pin Plug (Big)
Model No.: PL-01
16A, 250V AC



Round Three Pin Plug (Small)
Model No.: PL-03
6A, 250V AC



Two Pin Plug
Model No.: PL-02
6A, 250V AC

PC OTHERS



Easy 2 Pin Plug
Model No.: SPL-01
6A, 250V AC



Heavy 2 Pin Plug
Model No.: SPL-03
10A, 250V AC



Flat Three Pin Plug
Model No.: PL-05
13A, 250V AC



Flat Three Pin Plug (White)
Model No.: PL-06
13A, 250V AC



Round Two Pin Socket
Model No.: RS-03
6A, 250V AC



Travel Adapter
Model No.: TA-01
5A, 250V AC



Travel Adapter
Model No.: TA-02
16A, 250V AC



One Way Bed Switch
Model No.: BS-01
6A, 250V AC



One Way Bed Switch
Model No.: BS-02
6A, 250V AC



Mounting Box (Junction Box)
Model No.: MB-01



Round Fan Cover (7X7)"
Model No.: FC-01



Spot Light Concealed Box
Model No.: SLCB-01

HOLDER BOX & PLATE



3X3 Holder Box with Plate



3X3 Holder Box without Plate



5X5 Holder Plate



6X4 Holder Box without Plate



6X4 Holder Box with Plate

SUPREME EXTENSION SOCKET



Safety
Shutter



Overload
Protector



Fire
Retardant
Plastic
Materials



Push
Switch with
LED Light



Integrated
Pure Copper
Structure



15' Heavy
Duty Cable



3 Outlet



4 Outlet




4 Outlet
with USB



5 Outlet

SMART EXTENSION SOCKET



3 Outlet



4 Outlet



5 Outlet




Virgin Poly-Carbonate



Copper Busbar



11 Feet Cable



Safety-Shutter

ROUND DECORATIVE COMBINED HOLDER



Round Decorative Combined Holder (Golden)

Model No.: RCH-01

Rating: 6A , 250V AC



Round Decorative Combined Holder (Silver)

Model No.: RCH-02

Rating: 6A , 250V AC


ROUND DECORATIVE CEILING ROSE



Round Decorative Ceiling Rose (Golden)

Model No.: RCR-01

Rating: 6A, 250V AC



Round Decorative Ceiling Rose (Silver)

Model No.: RCR-02

Rating: 6A, 250V AC

PREPAYMENT (SMART) METER



ISO 9001
14001
CERTIFIED COMPANY



CM-L No. DHK-CM-0000000000069

Technical Specifications:

Type	SP-NM 22
Current	AC
Phase	1φ, 2 wire
Voltage	230V
Ampere	5 (80) A
Ferquency	50 Hz
Starting Current	≤40 mA
Impulse/kWh	1000
Digit Resistor	8

Protection Type	IP54
Display	LCD
Class	1.0
Indicator	Credit Status, Alarm, Impulse
Billing Type	Pre-Paid
Tariff Type	Single
Using Area	Indoor & Outdoor
Communication Type	☐ GPRS ☐ PLC ☐ RF

ENERGY METER



Sub Meter



Single Phase Meter




Neutral Missing Meter

Technical Specifications:


- Billing Type: Postpaid
- Tariff: Single
- Type: Digital
- Phase: 1Phase, 2 wire
- Battery Backup: Yes
- Voltage: 230V AC
- Ampere: 5 (60) A
- Frequency: 50Hz
- Starting Current: ≤ 20 mA
- Impulse/KW-H: 1600
- Digit Resistor: 6+2
- Class: 1.00
- Display Type: LCD
- Indicator: Power, Reverse, Impulse
- Auto Display: Kilo Watt-Hour, Voltage, Kilo Watt, Ampere, Meter Number
- Connection: Symmetrical

Wiring Diagram:

Phase Line: 1-in, 4-out
Neutral Line: 2-in, 3-out



an
ISO 9001
14001
CERTIFIED
company




CM-L No. DHK-CM-0000000000087

MAIN SWITCH (METAL)



- > Strong insulation
- > Extra security lock
- > Smooth handle operation
- > Metal parts are made of brass
- > Fuse is made of virgin ceramic clay



Technical Specifications	
Ampere	15A
Voltage	250V
Poles	Double Pole

MAIN SWITCH & MOTOR SWITCH


- 🔥 FIRE RETARDANT VIRGIN MATERIAL
- ⚙️ HIGH CONDUCTIVE METAL PARTS
- ✅ SAFE AND RELIABLE
- 🔥 HIGH TEMPERATURE TOLERANT PORCELAIN
- ⚙️ EASY INSTALLATION
- 🔌 EARTHING BUSBAR ENSURES SAFETY



Main Switch (Plastic)
Model: MS-02
Rating: 32A, 250V AC



Motor Switch (Plastic)
Model: MS-03
Rating: 32A, 250V AC



SUPER STAR CIRCUIT BREAKER

Features:

- ✦ Pole: 1P, 2P & 3P Devices
- ✦ Current Rating (In): 06A to 63A
- ✦ Breaking Capacity (Ics): 3kA
- ✦ Characteristic: C
- ✦ Rated Operating Voltage (Ue): 230V AC
- ✦ Rated Insulation Voltage (Ui): 500V
- ✦ Rated Insulation withstand Voltage (Uimp): 4kV
- ✦ Frequency: 50/60Hz

Technical Specifications of Super Star Miniature Circuit Breakers (MCB)

Rated Current	Breaking Capacity
06A	3kA
10A	3kA
16A	3kA
20A	3kA
25A	3kA
32A	3kA
40A	3kA
50A	3kA
63A	3kA



legrand® CIRCUIT BREAKER

Features:

- ❑ Pole: 1P, 2P & 3P Devices
- ❑ Current Rating (In): 06A to 63A
- ❑ Breaking Capacity (Ics): 10kA
- ❑ Characteristic: C
- ❑ Rated Operating Voltage (Ue): 230V AC
- ❑ Rated Insulation Voltage (Ui): 500V
- ❑ Rated Insulation withstand Voltage (Uimp): 4kV
- ❑ Frequency: 50/60Hz
- ❑ Low watt loss to help you save money and power
- ❑ 20,000 operations for long-lasting performance
- ❑ IP 20 terminals to keep you safe, always
- ❑ Can be operated in temperatures ranging from -250 to 700 C

Technical Specifications of Legrand Miniature Circuit Breakers (MCB)

Rated Current	Breaking Capacity
06A	10kA
10A	10kA
16A	10kA
20A	10kA
25A	10kA
32A	10kA
40A	10kA
50A	10kA
63A	10kA



PVC TAPE



-  Black
-  Red
-  Blue
-  Green
-  Yellow
-  White



Length : 8 Yards & 10 Yards
Width : 17 mm
Thickness : 0.15 mm



Heavy Duty



Strong & Instant Adhesion



Temperature Resistant



Weather Endurance



Flexible



Very Stable



High Sealing Security



Long Life

ELECTRICAL TESTER



-  Premium Quality
-  Made of Chromium Vanadium
-  Very Strong & Durable

Voltage
100-500V


Size
125,145,190 mm

Frequency
50/60 Hz

DISTRIBUTION BOX



Connection Type: 1 Way
Model: EDB-01



Connection Type: 2 Way
Model: EDB-02



Connection Type: 3 Way
Model: EDB-03



Connection Type: 4 Way
Model: EDB-04



Connection Type: 6-9 Way
Model: EDB-09



FIRE RETARDANT



POWER INDICATOR



SAFE AND RELIABLE



EASY WIRING



EXCELLENT HEAT DISSIPATION



EASY INSTALLATION


GANG SWITCH BOX



1 GANG SURFACE BOX



2 GANG SURFACE BOX




3 GANG SURFACE BOX



4 GANG SURFACE BOX

PIANO SWITCH BOX (BLACK & WHITE)




1 HOLE

2 HOLE


3 HOLE

4 HOLE



5 HOLE

6 HOLE




7 HOLE




8 HOLE


PIANO SWITCH BOARD (BLACK & WHITE)



Piano Switch Board
6X8 (Hole)



Piano Switch Board
6X8 (Plain)



Piano Switch Board
8X10



Mueen International Engineering Solutions

beyond limitation with superior service

Please get in touch with us if you need any
products or solutions.

E-mail: mueen.intl@gmail.com

Cell & WhatsApp:

+8801711293105

+8801303411848